

COMPANY PROFILE



CONDO D2341911

YOUR VOLTAGE – OUR PASSION

PROLOG

We are a mid-size German company working since many years in the field of Power Quality. Having a long-standing experience of more than 65 years, we offer a high level of expertise in this niche area to improve the quality of power delivered to our customers. The industrial systems in the modern distribution grids are getting increasingly complex and diverse. In such an environment, it is not only necessary to deliver power in sufficient quantity but in sufficient quality. Even a seemingly simple product, such as voltage, has not always ensured compliance with quality criteria, even if every single part of the power supply and every load is built according to the relevant standards. Insufficient voltage quality leads to expensive production losses and loss of warranty on machines and equipment used.

Our Company, Condensator Dominit GmbH, is the only company who can offer you a complete range of solutions and products in the field of Power Quality under the brand of GridClass® technology. In order to ensure perfect quality of voltage for your applications, we have necessary tools in our toolbox to solve the problems such as voltage sags, resonances, switching frequencies, reactive power, voltage fluctuations and supraharmonic distortions. Our team comprises of engineers, expert technicians, and physicists, to provide our customers with innovative,

user-friendly, and solution-oriented systems. The past of the company lies in the manufacturing of classical compensation systems and has earned a reputable name within the field of clean feed-in of modern renewable energy such as wind, solar and water energy. But the industrial users rely particularly on specialists from the Sauerland when the topic of grid quality comes into the picture.

Do you have a power supply problem?

Your machine doesn't work as desired?

Your network suffers from voltage dips?

Something is strange in your network?

We have the products to resolve that problem. Promised!

Providing a profound consultation and technical expertise based on high ecological and economical standards is our core competence and passion. In this brochure, we give you a quick overview of our product portfolio.



Dr. rer. nat. Christian Dresel



**DOMINIT TO DOMINIT –
OVER 65 YEARS OF EXPERIENCE**

1950

Dominit Werke

Market innovation from Brilon:

First of its kind Reactive Power Compensation System

Market Introduction: First High Voltage Filter System

1973

**Lepper Doiminit, later ASEA-Lepper,
from 1982 ASEA Kondensatoren**

Product launch: First controlled

Low-Voltage Filter System

NETWORK PHENOMENA AND ITS CONSEQUENCES – CORRECT SOLUTION – FITTING PRODUCT

FLICKER, VOLTAGE SAGS AND SWELLS, VOLTAGE UNBALANCE

Flicker, voltage sags and swells and voltage unbalances are changes in the effective value of voltage. This effects can lead to production outages which are costly and unplanned. If the voltage drops below 85% of the nominal voltage, it could lead to the tripping of contactors, frequency converters and switching power supplies. With our GridClass® products THYRA and OSKAR®, we take care of such problems independent of the source.

HARMONIC VOLTAGE DISTORTIONS

An increasing number of non-linear loads such as Switched Mode Power Supplies (SMPS), rectifiers, Variable Frequency Drives (VFD), which bear a non-linear characteristic, is resulting into non-sinusoidal current consumption. This results into the generation of harmonics voltages whose frequencies are the integer multiples of the network frequency, which in turn determines the order of that respective harmonic. Any device or equipment, whether mechanical or electrical, can only be loaded completely under defined conditions. Furthermore, industrial networks are subject to relevant standards which must be complied with. In case of networks not conforming these standards, the warranty claims are voided, since the equipment manufacturers are not obliged if there is no standard power supply. But from the customer's point of view, it is a functional defect of that device or equipment. With our Grid-Class® products SOFIA®, MIA® and MIKA, the harmonics are filtered and the customer's power supply network is optimized and stabilized.

SUPRAHARMONIC AND RESONANCE VOLTAGE DISTORTIONS

In addition to the harmonic voltage distortions, whose frequencies are the integer multiples of the fundamental frequency, there are some more reasons for the distortion of the voltage waveforms. Self-commutated power converters of all types supply high-frequency voltage distortions based on the switching frequency of power electronics to the connected power supply. Thyristor controllers can produce commutation noddges of different depths up to double zero crossings. Network resonances caused by the interaction of capacitive and inductive components produce in some cases serious and destructive overvoltages. In virtually all cases where a resonance point exists, the resonance is either permanently excited by nonlinear loads or activated by switching processes. In both

cases, the voltage distortions can be attenuated using our products RESI, SOFIA®-HP and MIKA, so that disturbances of higher order voltage distortions do not burden the respective network.

REACTIVE POWER

Electrical loads, such as motors, transformers, welding machines, operate according to the induction principle and require inductive reactive power for the formation of the magnetic fields. This power is not converted into mechanical movement or heat, like the real power, but alternately oscillates between generator and load. The customer who requires this kind of power is charged based per kvar by the utility company. However, there are some relaxations. The most common specification for industrial customers is to maintain their power factor above $\cos \phi \approx 0.9$. The reference to the inductive reactive power is calculated with a working rate of, for example, 1 Cent/kvarh (Price sheet 10 of Westnetz). Thus, in addition to the active energy (real energy), the overconsumption of reactive energy (usage in kvarh) is calculated. These additional costs can be avoided by means of a reactive current compensation system by providing the inductive reactive current over-covering with choked capacitors and automatically regulated in power stages. Condensator Dominit is the compensation specialist and has the necessary tools for every type of reactive power. The harmonic filters SOFIA® and MIA® are used to compensate for distortion-free power. The capacitive systems THYRA and KLARA, the inductive INKA and the extensive CLASSIC range are available for fundamental oscillating reactive power. At last, the medium voltage compensation units of the MIKA group complete the unique product portfolio.

FREQUENCY DISTORTION

In European Network of Transmission System Operators for Electricity (UCTE), as well as in many other strong power distribution networks worldwide, the network frequency is subject to a very narrow tolerance range which is by default never violated. This tolerance range in Germany is in the range of 47.5 Hz to 51.5 Hz, thus guaranteeing a reliable guide for every consumer and every producer. Therefore, only the energy supplier is responsible for ensuring the grid frequency in the public distribution grid. The situation is different in the case of self-sustaining „island networks“, as described, for example, in emergency power operation in hospitals or on ships. If the current-generating generator is too weak for the loads or if the generator feeds unwanted harmonic oscillations into the island network, the network is destabilized in this phenomenon as well. If there is a problem, then contact our team of experts in matters of grid quality. The Condensator Dominit team will be more than happy to help you.

1988

ABB Capacitors


Product launch: COMFIL Combi-Filter Systems, DYNACOMP Dynamic Compensation, Active Harmonic Filter PQF, SCOMP encapsulated HS-System with arc fault testing.
Market Innovation: ALFC Flicker compensation

2002

ABB Switchgears

Market Innovation: Broadband Filters (UBF)





OSKAR[®] -
Online-supply-correction with adaptive regulation

OSKAR[®] sets new standards in electrical power supply technology. Voltage dips in the electrical power supply are the main cause of costly unscheduled production outages. With OSKAR[®], the mains voltage is maintained continuous using power electronics and the system is dynamically designed to keep the voltage constant at the desired setpoint. Hence, the typical voltage drops rides through with utmost accuracy and precision.

GridClass[®] Technology

THYRA -
Thyristor switched regulated assemblies

The thyristor-switched system is used especially where short or fast-changing loads are the cause of network disturbance. Fluctuations in voltage, as well as flicker phenomena are consequences which can result from the operation of loads with fast load changes, particularly in grid areas with low mains short-circuit power.



GridClass[®] Technology

2005

Condensator Dominit
Dr. Christian Dresel overtakes as the chairman of the company

2008

Market Innovation:
CLMQ II - Dynamic compensation, special design for switching delays of 20 ms

2009

Market innovation:
AVS for voltage stabilization

SOFIA® -

Supply optimization by voltage controlled harmonic filter with intelligent adaptation

SOFIA® sets new standards in voltage-controlled harmonic filtering. With an increasing number of non-linear loads, e.g. frequency converters or switching power supplies, the number of loads with a non-linear U-I characteristic increases in the power system. This affects on the electrical power supply network as if it were a current source that feeds integer multiples of the fundamental frequency current. These distortions are called harmonics. SOFIA® has an automatic impedance control with which the filter automatically adjusts the suction applied to the network. Up to now, it was necessary to know all network data of the customer for the design of voltage-controlled filters and to have the filter laid out by a specialist. We have integrated this expertise into the control electronics which results in optimal filtering results.



GridClass[®]
Technology

RESI -

Resonance-elimination-system

The RESI product family is used when disturbances occur at higher frequencies (supraharmonics) or resonances. With pure LC suction circuits, network resonances can not be eliminated but are only shifted in frequency. Resonance can be completely eliminated by the introduction of attenuation - e.g. of a high-pass resistance. RESI systems are available up to large units for attenuating the effect of commutation dips by high-performance converters.



GridClass[®]
Technology

MLA® -

Modular intelligent active filter

The MLA® product family of Condensator Dominit GmbH is the latest generation of a current-controlled active filters achieving maximum performance with minimal losses. The loads with speed and power control, such as frequency converter-driven motors or energy-saving lamps, are an essential component of our energy consumption. At the same time, these loads with non-linear U-I characteristics cause serious network effects due to harmonic currents. The modular intelligent filter MLA® is used to reduce harmonic currents, reactive power supply, flicker reduction and load current balancing.



GridClass[®]
Technology

KLARA -

Premium reactive power compensation system

During the times of increasing energy efficiency of power systems, there are still large numbers of inductive loads connected to the system. Eventually, these elements consume more reactive power which would result in overloading the system and the connected transmission network, causing further power losses. KLARA product range consisting of automatically controlled low-voltage reactive power compensating system, are available in three different categories:

- Robust design
- optionally with resonance damping step expandable



GridClass[®]
Technology

Development and market launch:

2015

Voltage-controlled harmonic filter with intelligent adaptation: SOFIA®
For the first time exhibited at the Hannover Fair 2015, one of the world's biggest trade fairs
November 2015: Dominit Industrial Power Systems, a daughter firm of Condensator Dominit was established.

2016

Pilot project SIMON - Simulation of Ohmic networks
Project founded by the European Union and the state of North-Rhine Westfalia

CLASSIC - Classical reactive current compensation

Capacitors, tuned capacitor control systems, reactive power controllers, filter circuit chokes and more can be customized according to your needs and can be designed individually to match your network needs. Benefit from our extensive experience and competence from more than seven decades.



INKA - Inductive compensation assemblies

The INKA series, an inductive compensation systems, are the expansion of the range of the classical compensation systems in the inductive range, in order to compensate equipment with capacitive characteristics. These include, for example, long cable runs in public distribution networks or in extended customer facilities, such as large photovoltaic parks.

GridClass[®]
Technology



MIKA - Medium-voltage-compensation-assemblies

The product family MIKA of Condensator Dominit GmbH stands for premium systems and sophisticated concepts for the compensation and filtering of medium- and high-voltage networks. The portfolio ranges from the simple three-phase AC capacitors to Audio frequency blocking, RC circuitry and encapsulated control systems to turnkey overall concepts.

YOUR VOLTAGE – OUR PASSION

Condensator Dominit is the only company in the world that offers a complete portfolio to ensure the quality of voltage.

*The vinegar tower in Brilon-Wald.
The new landmark for best voltage quality –
made in Germany.*



2017

Planning and construction of new company building at Brilon-Wald

2019

New construction and relocation to the new premises at the vinegar tower in Brilon-Wald



deLivery
commissioning
Service
Analysis

LISA


The all-around carefree package for your compensation-, or filter circuit-system

Our service and its combined customer focus is very important for us, because the best product quality deserves the best support. Our service program LISA, which complements our comprehensive and voltage optimized product portfolio, has been developed based on this guiding idea. LISA is covering our complete service package from VOLTAGE ANALYZING, PLANNING, DESIGN, TRANSPORT AND INSTALLATION, COMMISSIONING, to SERVICE FOR INSPECTION AND MAINTENANCE up to our extensive choice of SEMINARS AND TRAININGS.


Voltage analyzing

With the voltage analyzing we are checking, besides the chronological trend of active, reactive and apparent power, the diverse types of voltage distortions. Harmonic voltage distortions are being compared with the threshold values of the applicable norms. After completion of the measurement you will receive a detailed report (Either as hardback or in PDF-format) from us, consisting of the following information:

- All measurement values as a graph or table
- Summary of the measurement results
- Recommendations for further actions



Harmonic spectrum before filtering



Harmonic spectrum after filtering



Planning/design

Either for you or with you together we are designing, planning and implementing a complete voltage optimized system solution.

Delivery/installation

Besides voltage analyzing and planning, the complete transportation and installation of the beforehand projected system are part of our all-around carefree package.

Commissioning

Even if the goal is to engineer our systems in a way to have qualified expert staff commissioning them without our own specialists, this can of course also be done through our qualified personnel.

Maintenance

Maintenance serves as re-establishment of the nominal conditions and secures the continuous reliability of operation and functionality.

Traning

LISA includes also the regular performance of training lessons and seminars for operators and divisions. For additional informations regarding our LISA products please go to: <https://www.condensator-dominitt.de/en/service-lisa/>





YOUR VOLTAGE – OUR PASSION

Condensator Dominit GmbH

An der Bremecke 8

D-59929 Brilon

Fon +49 (0) 2961 782-0

Fax +49 (0) 2961 782-36

E-Mail info@dominit.eu

Web www.condensator-dominit.de

Subject to changes. Errors and omissions excepted.