



Tab-Ex[®] 01 Series for hazardous areas

WORLD'S FIRST ZONE 1/21 & DIV. 1

TABLET COMPUTER





WORLD'S FIRST ZONE 1/21 DIV 1 TABLET COMPU-TER BASED ON SAMSUNG GALAXY TAB ACTIVE

ecom ´s hazardous area tablet Tab-Ex® 01 brings new customer focused solutions and improved ease of use to mobile workers in Oil & Gas, Refining, Chemical, Pharmaceuticals and other hazardous industries. Recognising that many work tasks are performed in both non-hazardous and hazardous areas, ecom is launching an entire family of compatible tablets, peripherals and accessories suitable for worldwide use in Zone 1/21 & Division 1, and rugged environments.

MUCH EASIER USE WITH TAB-EX®

The Tab-Ex[®] 01 is suitable for multiple mobile worker roles performing a range of tasks, such as Asset Surveys, Material Tracking, Operator Rounds, Inspection, Data Collection and Plant Maintenance. The 8-inch screen enables the wide range of applications to become mobile in hazardous areas, allowing workers to view and interact with SCADA/DCS systems, enterprise systems (SAP, Maximo s.o.), project management systems and computer aided design systems.

Built-in cameras (optional) and a full range of wireless capability allows equipment defects to be captured during inspection and maintenance operations, and instantly visible to those who need to diagnose the issue and determine the follow-on actions.





- Global certifications one common platform
 - Android™ Kitkat 4.4.4 or Lollipop 5.1.1 Operating System
 - Wireless capability with
 - WLAN
 - WWAN (UMTS, HSPA, LTE*)
 - Bluetooth Smart Ready
 - NFC

4

5

6

Front and rear camera (optional)

- 3 MP with rear camera Flash with Barcode Scanner capability
- 1.3 MP front camera

Reinforced security with Samsung KNOX

Accessories and peripherals to enable broader use

HAME IN INC.

ecom

depending on carrier & regional availability

ONE GLOBAL PLATFORM ENABLING MOBILE WORKFORCE PARADIGM SHIFT

ecom's new Tab-Ex[®] 01 tablet family enables a paradigm shift in the way mobile workers work and interact with each other, their remote experts, and the backend systems. This way of working brings with it the opportunity for improved decision making, improved mobile worker collaboration, increased efficiency and improved data quality related to work tasks performed in hazardous areas.



ecom's development of the ultra-rugged Tab-Ex[®] 01 includes numerous new patents and is built on the Samsung GALAXY Tab Active platform - allowing you to benefit from this device in both harsh and hazardous environments. This solution provides compatibility with a wide range of preloaded applications for a safer work environment, including unparalleled security functions like device encryption, MDM, VPN and secure connectivity (Samsung KNOX). Being able to offer the same internal tablet, Samsung GALAXY Tab Active, ecom provides a key benefit of consistency in product use - whether Zone 1/21 & DIV 1. An software applications developed or licensed for the Samsung Galaxy Tab Active will work unchanged on the Tab-Ex[®] 01.

TEOLINIIOAL DAT

			TECHNICAL DATA	
Tab-Ex [®] 01 Series for hazardous areas		Operating System	Android™ Kitkat 4.4.4 Operating System (optionally Lollipop 5.1.1)	
		Processor	Quad core 1.2 GHz processor	
		Memory and Storage	1.5GB RAM + 16GB internal memory With optional microSD, expandable up to 64GB	
		Display	8 inch TFT display with 1280 x 800 pixels	
ATEX / IECEX ZONE 1/21,		Environmental	Operating temperature -20+50 °C	
NEC CLASS I DIV. 1		WWAN	LTE * (4G) Category 4: 800 / 850 / 900 / 1800 / 2100 / 2600 UMTS (3G) / HSPA (3.5G): 850 / 900 / 1900 / 2100 GPRS / EDGE (2G): 850 / 900 / 1800 / 1900	
ATEX	 II 2G Ex db ia op is IIC T5 Gb II 2D Ex tb IIIC T100°C Db T_a = -20°C to +50°C 	Bluetooth	Bluetooth LE 4.0 SmartReady	
IECEx	Ex db ia op is IIC T5 Gb Ex tb IIIC T100°C Db T _a = -20°C to +50°C	Wireless LAN	WiFi 802.11 a / b / g / n	
		Power	up to 11 hours battery life / 4450 mAh	
NEC O	 US: Class I, II, III, Division 1, Groups A-G T5 Class I, Zone 1 IIC T5 Zone 21 IIIC T100°C Ta = -20°C to +50°C CA: Ex db ia IIC T5 Gb & Ex ia tb IIIC T100°C Db Class I, II, III Division 1, Groups B-G, T5 	Camera	3 MP with rear camera Flash with Barcode Scanner capability 1.3 MP front camera	
		Security	Reinforced security with Samsung KNOX EMM (MDM+IAM) Secure file management 	
INMETRO	Ex db ia op is IIC T5 Gb		H/W & S/W Secure platform	

* depending on carrier & regional availability

Yes

Fx th IIIC T100°C Dh

Ta= -20 °C to +50 °C

 $^{N}C_{C}$



EMEA

Germany (Headquarters) ¹

ecom instruments GmbH Industriestraße 2 97959 Assamstadt Phone +49 62 94 42 24-0 Fax +49 62 94 42 24-100 sales@ecom-ex.com 1 also covering Austria

ecom Benelux²

ecom instruments BV Watertoren 45c 3247 CL Dirksland, Netherlands Phone +31 1 87 60 59 16 Fax +31 1 87 60 33 47 info.nl@ecom-ex.com ² also covering Belgium and Luxemburg

France ³

ecom Nied sarl 4 Rue Ettore Bugatti 67201 Eckbolsheim Phone +33 3 88 76 46 84 Fax +33 3 88 76 02 85 info.fr@ecom-ex.com ³ also covering Algeria, Egypt, Morocco, Tunisia and Libya

Italy

ecom instruments srl Via Gandhi, 15 Galleria 20017 Rho (MI) Phone +39 02 93 90 92 16 Fax +39 02 93 90 62 97 info.it@ecom-ex.com

Switzerland

ecom instruments GmbH Merkurstraße 2 6210 Sursee Phone +41 4 19 21 60 00 Fax +41 4 19 22 00 08 info.ch@ecom-ex.com

Nordics

ecom instruments GmbH Postbox 304 2970 Hørsholm Denmark Phone +45 28 252 575 info.nordics@ecom-ex.com

United Kingdom

ecom instruments ltd A310, The Wilton Centre, Redcar, TS10 4RF, United Kingdom Phone +44 1642 46 54 00 Fax +44 1642 46 54 02 info.uk@ecom-ex.com

Middle East

ecom instruments fze P.O. Box 8918 Saif-Zone, Sharjah, UAE Phone +971 6 5 57 34 30 Fax +971 6 5 57 34 31 info.uae@ecom-ex.com

Americas

USA

ecom instruments Inc. 1779 Westborough Drive, Suite 102 Katy, Texas 77449 Phone +1 281 496 59 30 Fax +1 281 496 23 21 sales.us@ecom-ex.com

Asia

South East Asia Ecom Instruments (SEA) Pte Ltd 15 Pioneer Turn P+F GDC Building Singapore 627577 Phone +65 6779 9078 info.sg@ccom-ex.com

