

# **CODED QUICK-RELEASE** COUPLING

# INOXLINE

The INOXLINE stainless steel connections were developed by Eisele specifically for use in hygiene-sensitive areas. Now the series has been expanded with our coded quick-release couplings.

With the new coded quick-release couplings, Eisele offers fool-proof stainless steel connection components for compressed air. The coded release couplings are available in four versions with round, triangular, hexagonal or octagonal plug coding.





### **ADVANTAGES**

- Fool-proof thanks to integrated plug coding in round, triangular, hexagonal or octagonal
- Available with one-sided or two-sided shut-off function for optimum safety
- Easy to clean due to hygienic design
- When plugged in, the outer contour makes it difficult for dirt to penetrate the device















# THE PROPERTIES AT A GLANCE

- Robust stainless steel housing 1.4404 / 1.4571 (316L/316Ti)
- FDA compliant FPM low temperature seals -50 °C to 200 °C (-58 °F to 392 °F)
- Working pressure from 0.5 to 10 bar (7.25 to 145 psi)
- Suitable for compressed air
- Particularly suitable for use in food environment

## **COUPLING + PLUG NIPPLE**



Quick-release coupling | round

VTT4131-010500 | G 1/8 | with shut-off



Plug nipple | round

VTT4034-010500 | G 1/8 | without shut-off VTT4134-010500 | G 1/8 | with shut-off



Quick-release coupling | triangular

VTT4131-010503 | G 1/8 | with shut-off



Plug nipple | triangular

VTT4034-010503 | G 1/8 | without shut-off VTT4134-010503 | G 1/8 | with shut-off



Quick-release coupling | hexagonal

VTT4131-010506 | G 1/8 | with shut-off



#### Plug nipple | hexagonal

VTT4034-010506 | G 1/8 | without shut-off VTT4134-010506 | G 1/8 | with shut-off



#### Quick-release coupling | octagonal

VTT4131-010508 | G 1/8 | with shut-off



### Plug nipple | ocatgonal

VTT4034-010508 | G 1/8 | without shut-off VTT4134-010508 | G 1/8 | with shut-off

OTHER DIMENSIONS AVAILABLE ON REQUEST sales@eisele.eu





#### **QUALITY CONNECTION COMPONENTS**

FOR COMPRESSED AIR, VACUUM, GASES, LIQUIDS, ELECTRICAL AND ELECTRONIC SIGNALS