



Product Overview 2019

Innovative
Vacuum Components
and Systems for Versatile
Applications

Product Overview 2019

The entire world of vacuum

Table of contents:

	Page
Leybold - Consulting, Sales and Service	4
Forevacuum pumps	
Oil sealed vacuum pumps:	
Rotary vane pumps SOGEVAC B/BI/D/DI	4
Rotary vane pumps SOGEVAC NEO D	5
Rotary vane pumps TRIVAC B, E and T	5
Dry compressing vacuum pumps:	
Scroll pumps SCROLLVAC SC 30, SC 60 and SCROLLVAC plus	6
Multiple stage roots pumps ECODRY plus	6
Claw pumps CLAWVAC	6
Screw pumps VARODRY	7
Screw pumps and systems LEYVAC	7
Screw pumps and systems DRYVAC	8
Screw pumps and systems SCREWLINE	8
Roots pumps:	
RUVAC WA(U)/WS(U)	9
RUVAC WH(U)	9
High vacuum pumps	
Fluid entrainment pumps:	
Oil booster pumps OB	10
Oil diffusion pumps DIP, DIJ and LEYBOJET	10
Energy-efficiency control for diffusion pumps and OB pumps	11
Turbomolecular pumps:	
TURBOVAC i/iX with Hybrid bearing system	11
Magnetically levitated MAGintegra	12
Cryogenic pumps and refrigerator cold heads:	
Refrigerator cryo pumps COOLVAC	13
Refrigerator cold heads COOLPOWER	13
Ion pumps, accessories and controller:	
TiTan™ Ion pumps	14

Product Overview 2019

The entire world of vacuum

Table of contents:

		Page
Vacuum measurement and control	Vacuum gauges and pressure gauges, vacuum controller GRAPHIX	15
Leak detectors	Leak detectors PHOENIX 4	16
Mass spectrometers	Residual gas analyzers LEYSPEC	16
Pump systems	Vacuum Systems / Engineering	17
	Multistage forevacuum systems (RUTA)	17
	Central vacuum systems CVS with oil-sealed SOGEVAC pumps	18
	Central vacuum systems VACUBE with oil-sealed screw pumps	18
	High vacuum pump systems TURBOLAB	19
	Experimentation and coating systems UNIVEX	19
	Calibration systems CS	20
	Innovative pump and system management	20
Valves	LEYCON valves	21
Components	Flange systems, connecting elements and components	21
Oils, greases and pump fluids	LEYBONOL vacuum oils, pump fluids and special lubricants	22
Academy, Seminars	Leybold Academy	22
Maintenance and Repair	Spare parts, wear parts and repair materials	23
Services	After Sales Support	23
	Online Shop	23

Product Overview 2019

Global support

Oil sealed Vacuum Pumps

Leybold

Consulting, sales and service



Your partner for vacuum engineering. Benefit from our worldwide support.

Your Expectations:

- First-class consulting
- Excellent product quality at optimized price-to-performance ratio

Our Solution:

- Worldwide sales and service network
- Highly qualified and committed staff
- Comprehensive consulting service
- Customer specific application support
- Highly reliable top quality solutions
- Competitive pricing
- Certified in accordance with DIN ISO 9001/9002
- After sales, application and production support

SOGEVAC B/BI/D/DI

Single-stage rotary vane pumps



Effective investment, long service life. No oil loss, low power consumption.

Your Expectations:

- Industrial rough vacuum generator
- Favorable price-to-performance ratio
- High reliability
- ATEX explosion protection, optionally

Our Solution:

- Pumping speed 10 to 1,200 m³/h
- Ultimate pressure $\leq 5 \cdot 10^{-2}$ mbar
- O₂-compatible versions
- Separate standard product line for the food and packaging market
- Flexible pump design
- Certified according to ATEX RL 2014/34/EU

Product Overview 2019

Oil sealed Vacuum Pumps

SOGEVAC NEO D

Medium vacuum rotary vane pumps



No oil loss thanks to integrated exhaust filter. Effective investment. Maintenance free up to 3 years in clean applications.

Your Expectations:

- Low cost medium vacuum pumps
- No oil loss at exhaust
- Longest possible maintenance intervals
- Monitoring possibilities
- Broad portfolio, also for special demands (e.g. O₂, ATEX)

Our Solution:

- Pumping speed 16 to 76 m³/h, all sizes available for single or 3 phase power supply
- Ultimate pressure $\leq 8 \times 10^{-3}$ mbar
- Integrated exhaust filtration. Patented and best in class.
- Use of long lifetime oils and dynamic shaft seals
- O₂-compatible versions
- Certified according to ATEX 2014/34/EU versions Cat 2 or 3
- Flexible pump design for accessories retrofit or dedicated customer variants

TRIVAC B, E and T

Dual-stage rotary vane pumps



A well-proven vacuum pump for long-time operation lasting for years. Broad range of accessories.

Your Expectations:

- Rugged vacuum generator
- High reliability
- ATEX explosion protection, optional

Our Solution:

- Pumping speed
 - TRIVAC B: 4 to 65 m³/h
 - TRIVAC E: 2.5 m³/h
 - TRIVAC T: 4 to 30 m³/h
- Ultimate pressure
 - TRIVAC B: 10⁻⁴ mbar
 - TRIVAC E: 2×10^{-3} mbar
 - TRIVAC T: 5×10^{-3} mbar
- For medium and high vacuum applications
- Economic OEM product range (TRIVAC T)
- Certified according to ATEX RL 2014/34/EU (TRIVAC B)

Product Overview 2019

Dry Vacuum Pumps

SCROLLVAC SC / plus

Oil-free scroll pumps



Dry, universal solution, low operating costs.

Your Expectations:

- Oil-free vacuum pump
- Quiet, low vibration operation
- Long maintenance intervals

Our Solution:

- Pumping speed 5 to 60 m³/h
- Ultimate pressure $\leq 1 \cdot 10^{-2}$ mbar
- Robust, low-maintenance design
- High pumping speed even at 1000 mbar

ECODRY plus

Dry compressing multi-stage roots pumps



Compact vacuum pumps with low noise emission for clean applications.

Your Expectations:

- Noise-free and clean environment
- Easy handling
- High energy-efficiency
- Maintenance-free pump

Our Solution:

- Pumping speed 40 to 65 m³/h
- Lowest noise level in class
- Air-cooled pump
- Oil and particle-free operation

CLAWVAC

Oil free claw pumps



Compact rough vacuum pump for demanding industrial applications including handling of particle and vapor contaminated gases. Trouble-free and cost-saving.

Your Expectations:

- Robust, oil-free vacuum pump for clean vacuum generation
- Long maintenance intervals

Our Solution:

- Pumping speed 65 to 300 m³/h
- No oil migration into process, no oil contamination to the environment
- Extremely efficient air cooling, low heat emission. No cooling water required.
- Corrosion resistant stainless steel claws
- Simple and complete cleanable of all media touched surfaces on-site
- Up to 50% energy saving by operation with variable speed drive

Product Overview 2019

Dry Vacuum Pumps

VARODRY

Dry compressing screw pumps



Compact, rugged oil-free vacuum pumps for general industrial applications.

Your Expectations:

- Industrial vacuum generator
- Low investment and operating costs
- High reliability and long system uptimes

Our Solution:

- Pumping speed 65 and 100 m³/h
- Ultimate pressure $\leq 1 \cdot 10^{-2}$ mbar
- Fully air-cooled design, no need for water cooling
- Minimum maintenance demands
- Most robust pump design

LEYVAC

Dry compressing screw pumps and systems



Rugged vacuum pumps for rough applications and high process throughputs. Simple vacuum performance upgrade with RUVAC roots pumps.

Your Expectations:

- Industrial vacuum generator
- Long system uptimes
- High pumping speed already at atmospheric pressure

Our Solution:

- Pumping speed 80 to 160 m³/h
- Ultimate pressure $\leq 1 \cdot 10^{-2}$ mbar
- Hermetically sealed pump
- Direct connection of RUVAC Roots pumps via adapter

Product Overview 2019

Dry Vacuum Pumps

DRYVAC

Dry compressing screw pumps and systems



Rugged, compact vacuum solutions with smart monitoring and control system for coating, photovoltaic and process industry applications.

Your Expectations:

- Maximum system availability
- Low cost of ownership
- Minimum footprint
- Self protection of the pump and easy communication

Our Solution:

- Pumping speed 210 to 9.800 m³/h
- Ultimate pressure
DRYVAC pumps: $\leq 5 \cdot 10^{-3}$ mbar
DRYVAC SYSTEMS: $\leq 5 \cdot 10^{-4}$ mbar
- Robust design for demanding processes
- Highest energy efficiency
- Flexible modular system for compact vertical and horizontal installation
- Variants with ATEX certification according to ATEX directive 2014/34/EU, Cat. 2i available.
- Integrated smart monitoring of major parameters; i-versions with touch screen control and digital I/O interface (optional Profibus, Profinet)

SCREWLINE

Dry compressing screw pumps



Extremely robust for harshest industrial applications, simple on-site maintenance.

Your Expectations:

- High pumping speed
- Easy to clean
- Air cooled
- ATEX explosion protection (Cat. 2i)

Our Solution:

- Pumping speed 250 and 630 m³/h
- Ultimate pressure $\leq 1 \cdot 10^{-2}$ mbar
- Expandable to pump systems by adding Roots pumps
- Monitoring system
- Easy to disassemble pump chamber for rapid cleaning
- Certified according to ATEX RL 2014/34/EU

Product Overview 2019

Roots Vacuum Pumps

RUVAC WA(U)/WS(U)

Roots blowers



Long-lasting and reliable. Easy connection to any forevacuum pump.

Your Expectations:

- Pumping speed increase at low pressures
- Simple to use
- Oil-free pumping of the gas
- ATEX explosion protection

Our Solution:

- Pumping speed range from 250 to 4,000 m³/h
- Reliable and robust
- Available with flanged motor or with hermetically sealed drive motor
- Suitable for 100% O₂ applications
- Certified according to ATEX RL 2014/34/EU

RUVAC WH(U)

Roots blowers



An innovative product line, efficient and cost-effective for use in modern Process Industry applications.

Your Expectations:

- Flexible pumping speed through frequency converter operation
- Rapid pumpdown times
- Compact design
- Oil-free pumping of gases
- System compatibility
- Low current consumption

Our Solution:

- Pumping speed from 720 to 9,800 m³/h (with frequency converter)
- Excellent performance and consumption specifications
- Hermetically sealed drive motor (IE2)
- Small footprint
- Innovative bypass valve
- Certified according to ATEX RL 2014/34/EU, partially also according to ATEX Cat 2i
- Direct connection of large forevacuum pumps via adapter

Product Overview 2019

Fluid Entrainment Pumps

Oil Booster OB

Oil vapor jet pumps



Long maintenance intervals, wear-free. High safety standard.

Your Expectations:

- High vacuum
- Very high critical backing pressure capability
- High pumping speed
- Safe and economic
- CE compliant electronics power supply

Our Solution:

- Pumping speed: 6,000 to 18,000 l/s
- Operating range: $< 10^{-1}$ to 10^{-4} mbar
- Stable pumping speed in low pressure ranges
- No wear by revolving parts
- Small footprint
- Simple operation

DIP / DIJ / LEYBOJET

Oil diffusion pumps



Long maintenance intervals, wear-free, high safety standards.

Your Expectations:

- Stable high vacuum
- High critical backing pressure capability
- High pumping speed
- Safe and economic
- CE compliant electronics power supply

Our Solution:

- Pumping speed:
 - DIP: 3,000 to 50,000 l/s
 - DIJ: 2,800 to 28,000 l/s
 - LEYBOJET: 12,000 l/s
- Operating range:
 - DIP: $< 10^{-2}$ to 10^{-7} mbar
 - DIJ: $< 10^{-2}$ to 10^{-7} mbar
 - LEYBOJET: $< 10^{-2}$ to 10^{-5} mbar
- Optimum pumping speed in the pressure range $< 10^{-4}$ mbar (DIP, DIJ) and 10^{-2} to 10^{-3} mbar (LEYBOJET)
- No wear by revolving parts
- Simple operation
- Suited for application in sputtering processes (LEYBOJET)
- Innovative power efficiency controller (ROI < 2 years)

Product Overview 2019

Controller for Fluid Entrainment Pumps Turbomolecular Pumps

Power Efficiency Control

Control unit for oil diffusion pumps and OB pumps



Fast ROI (< 2 years) with power savings up to 30%.

Easy and convenient to use. Optimized power and oil consumption data.

Your Expectations:

- Cost savings through reduction of energy consumption
- Simple to use
- PLC controlled

Our Solution:

- Power savings up to 30%
 - Improved service life for the oil and the heating cartridges
 - Simple visual monitoring of the parameters through graphic user interface
 - Equipped with USB interface and Ethernet
-

TURBOVAC i/iX

Turbomolecular pumps with hybrid bearing technology (mechanical/magnetic)



Innovative and flexible product range with outstanding performance data and integrated electronics.

Your Expectations:

- Clean high and ultrahigh vacuum generation
- Long service life
- Ease of installation and operation
- Reliable usage under most varied applications and operation conditions

Our Solution:

- Pumping speed up to 440 l/s
 - Oil free hybrid bearings (mechanical/permanent magnetic)
 - Installation in any orientation
 - Integrated electronics including a variety of options for communication and control of accessory components
 - Versions for high compression and high gas throughputs available
 - TURBO.CONTROL i display unit (optionally as rack version or benchtop unit) to control and monitor the pump including connection facility for two pressure gauges available as accessory.
-

Product Overview 2019

Turbomolecular Pumps

TURBOVAC MAGiNTEGRA

Turbomolecular pumps, magnetically levitated



Most compact product line for industrial applications. On-board frequency converter and power supply. Easy and space-saving system integration.

Your Expectations:

- Clean high and ultrahigh vacuum generation
- Suitable for industrial use, like PVD and coating processes, display and glass coating
- Insensitivity to particles or deposits
- Low maintenance requirements

Our Solution:

- High pumping speed and high compression ratios for all gases
 - Holweck stage incorporated
 - Resistant to particles and deposits
 - Insensitive to shock-venting
 - Monitoring and self-protection functions
 - Maintenance-free in most applications
-

Product Overview 2019

Cryo Pumps, Cold Heads

COOLVAC

Refrigerator cryo pumps



High water vapor pumping capability, long maintenance intervals, installation in any orientation.

Your Expectations:

- Hydrocarbon-free vacuum
- High and ultrahigh vacuum generation

Our Solution:

- Pumping speed up to 60,000 l/sec
- DN ISO, CF and ANSI flange versions
- Two cryo pump versions for manual and for fully automatic system control and regeneration available
- Pump controller mounted on pump for fully automatically controlled iCL version for easy process and network system integration

COOLPOWER

Cold heads for cooling cryo pumps/cryostats



Gas refrigerating machines for cryogenic temperature generation based on the Gifford-McMahon principle. Designed for cooling superconductors (magnets, samples) from medicine and research.

Your Expectations:

- High refrigerating capacity
- Small footprint
- Long maintenance-free operating time
- Low vibrations

Our Solution:

- Ultimate temperatures:
two-stage models down to 8 K
single-stage models down to 25 K
- High refrigerating capacity from the smallest volume:
up to 18 W @ 20 K and up to 110 W @ 80 K for double stage coolers
up to 250 W @ 80 K for single stage coolers possible
- Resistant to particles and deposits
- Simple operation by key-press
- No need for liquid helium and liquid nitrogen

Product Overview 2019

Ion Pumps

TiTan™

Ion pumps



A full range of vibration-free and maintenance-free ion pumps, Titan sublimation pumps and NEG getter pumps to achieve best final pressures in the ultra-high vacuum.

Your Expectations:

- High pumping speed at excellent final pressure
- Hydrocarbon-free vacuum
- Long operating time

Our Solution:

- Pumping speed 0.2 - 1,200 l/s
- Ultimate vacuum $< 1 \times 10^{-10}$ mbar
- Various TiTan™ pump elements for different requirements available:
 - TiTan™ CV - two Titan cathodes for highest pumping speed
 - TiTan™ DI - Titan- and Tantalum cathodes for improved long-term stability when pumping inert gases
 - TiTan™ TR - classic triode elements at higher operating pressures
- All TiTan™ and TSP components are bakeable up to 400 °C
- Wide range of accessories
- DIGITEL™ controller models for operation of ion pumps and TSPs in most diverse applications and configurations



TiTan™ and DIGITEL™
are registered trademarks of
GAMMA VACUUM, USA

Product Overview 2019

Vacuum Gauges, Vacuum Controllers

Measuring Instruments

Vacuum gauges and pressure gauges



Reliable monitoring and control for all vacuum processes.

Your Expectations:

- Gauge systems for every application
- Precise pressure measurement of gases and vapors
- Reproducibility across a wide pressure range

Our Solution:

- Measurement with active and passive sensors in a pressure range from 10^{-12} to 2.000 mbar for every application
- Intuitive operation and flexible data retrieval
- Pressure switches and pressure control instruments
- Handheld versions for easy and reliable pressure measurements
- DAKS or factory calibration of vacuum gauges in the pressure range from 10^{-8} to 1,000 mbar



GRAPHIX

Vacuum controller



Universal controllers for the connection of active vacuum sensors for direct pressure measurements in the range of 10^{-10} mbar to 2,000 mbar

Your Expectations:

- Operation and control of the entire vacuum system
- Simple handling and operation (plug & play)
- Fast process data accumulation and transfer via USB to PC

Our Solution:

- Monitoring and control of the entire vacuum process
- Product range with 1, 2 or 3 measurement channels
- 3.5" TFT touchscreen display with intuitive user interface
- Easy to read curve or bar graph display
- Internal and external data-logging (USB port on the front) for configuration and real-time measurement data
- Readout selectable between mbar, Torr, Micron, Pascal, Psi
- Option to connect active vacuum gauges from various brands

Product Overview 2019

Leak Detectors

Residual Gas Analyzers

PHOENIX 4

Leak detectors



The PHOENIX 4 product range sets new standards in Helium leak detection. Our product portfolio provides the perfect matching unit for every application.

Your Expectations:

- Non-destructive components testing for quality assurance
- Reliable technical solution
- Highest measurement reliability and accuracy
- Professional consulting and support

Our Solution:

- Suitable for mobile or stationary vacuum and sniffer operation
- Quick start-up, high measurement accuracy
- Internal data logging and simple external data acquisition via USB
- Intuitive HMI with simple controls, menu structure and comfortable multicolored touchscreen
- Integrated webserver featuring easy login via Wi-Fi for remote control with any internet-enabled smartphone or tablet

LEYSPEC

Residual gas analyzers



All-in-one devices with integrated control and display for demanding test procedures and residual gas analysis in high vacuum systems, general gas analysis in research and industry or for environmental tracking.

Your Expectations:

- Most accurate residual gas analysis
- Easy operation
- Bake out possibility for high and ultra high applications

Our Solution:

- High sensitivity residual gas analysis allowing the detection of smallest traces of contaminants or process gases
- Product range with solutions for 100, 200 or 300 amu
- Simple residual gas analysis is possible even without connection to a computer
- Intuitive operated LEYSPEC software, integrated display
- Key gases can be displayed at the push of a button, a spare display channel for additional gases is available
- Preinstalled functions, like Helium leak test, warnings and error levels for selectable gases, degassing function after start or venting
- Compact in size and mountable in any orientation for enhanced flexibility
- Bake out temperatures of up to 300°C for gas analysis in harsh environments

Product Overview 2019

Vacuum Solutions / Engineering

Vacuum Systems

Engineering



Vacuum solutions and systems of all kinds from the worldwide leading supplier. Benefit from our long-term experience.

Your Expectations:

- Comprehensive consulting service
- Customer specific application support
- Design and manufacture of custom vacuum solutions
- High flexibility and reliability
- Efficient solutions

Our Solution:

- System solutions - tailor-made concepts based on customer specifications
- Integrated forevacuum and high vacuum pump systems for custom requirements
- Worldwide engineering, production and service centers
- Global project coordination
- Custom software programming and customization
- Constant product improvements and innovations
- On-site commissioning and training

RUTA Vacuum Systems

Multistage forevacuum systems



Reliable process engineering solutions due to long-term experience in designing customized vacuum systems and custom controls.

Your Expectations:

- Professional consulting
- Design and delivery of demand-oriented and optimized vacuum systems
- Reliable engineering solution

Our Solution:

- Custom designed forevacuum pump systems
- Oil-sealed/dry compressing
- Pumping speed and ultimate pressures adapted to the process
- Additional high vacuum stages facilitate operating pressures down to 10^{-7} mbar

Product Overview 2019

Central Vacuum Systems

CVS

Central vacuum stations



Modular systems for improved operational reliability in frequent varying vacuum consumptions. Delivery of turnkey ready-to-operate and tested units.

Your Expectations:

- Industrial grade vacuum generator
- For covering demands of numerous small vacuum consumers individually and simultaneously
- Excellent vacuum performance data
- Modular design for customizing to customer specific processes

Our Solution:

- Typically consisting of SOGEVAC pump(s), buffer vessel, electrical cabinet with controller, all connecting components
- Pumping speed 25 to 840 m³/h
- Ultimate pressure ≤ 0.5 mbar
- Vessel volume 60, 160, 300, 500 or 1,000 liters
- Electric power from 0.8 to 18.9 kW
- Control type BASIC or Full Featured
- Low cost of ownership

VACUBE

Central vacuum stations



Compact systems for vacuum generation on demand in industrial rough vacuum applications. Efficient and productive with long maintenance intervals.

Your Expectations:

- Industrial grade vacuum generator
- System solutions to cover varying vacuum demands
- Set point operation
- Simple operation

Our Solution:

- Highly efficient oil-sealed rotary screw technology
- Pumping speed 420 to 1,620 m³/h
- Ultimate pressure ≤ 0.35 mbar
- Integrated frequency inverter for load depending speed control
- Sustainable power saving due to on-demand vacuum generation
- Controller with intuitive menu navigation for configuration and control
- Small footprint – pallet size dimensions
- Programmable operation modes
- Plug and play system set up
- Long maintenance intervals

Product Overview 2019

High Vacuum Pump Systems

TURBOLAB

High vacuum pump systems



Plug-and-play high vacuum pump systems based on well-proven components. Different configurations cover individual vacuum demands.

Your Expectations:

- High vacuum pump systems for industry and research
- Oil-sealed or dry compressing forevacuum pumps for a hydro-carbon-free vacuum possible
- Compact and user-friendly solution

Our Solution:

- Pumping speed 78 - 400 l/s provided by the TURBOVAC i pump range
- Ultimate vacuum down to 10^{-10} mbar
- Completely preassembled units with turbomolecular pump, TPU display power unit, frequency converter and forevacuum pump
- Easy to relocate pumps out and away from the frame
- Backlight display in the innovative TPU power unit
- Covering a wide range of applications with a full range of high vacuum and dry or wet forevacuum pumps
- Integrated data logger and webserver for system control, monitoring and configuration
- Connection of up to six accessories and two gauges
- Benchmark design, reliability and functionality

UNIVEX

Experimentation and coating systems



Easy operation and accessibility of vacuum chambers. Manual or automatic process control and documentation.

Your Expectations:

- Flexible laboratory systems for vacuum coating
- Systems for university and industrial research
- Results transferable to large scale systems or serial production
- High reproducibility degree

Our Solution:

- Multipurpose systems for the production of functional layers
- Modular system configuration, wide range of accessories
- Customized system solutions
- Variable chamber sizes

Product Overview 2019

Calibration Systems

Controllers for Vacuum Systems

Calibration Systems CS

Custom vacuum calibration systems



Process reliability by regular checks, adjustments and recalibration of vacuum gauges and sensors.

Your Expectations:

- Checking the characteristics of vacuum gauges
- Precise calibration of vacuum gauges in accordance with DAkkS (national accreditation body for the Federal Republic of Germany)
- Ensure reproducible parameters

Our Solution:

- Universal calibration systems with a special vacuum chamber, turbo-molecular pump system, vacuum gauges and additional components depending on the calibration pressure (heating jacket, separate pump system for admitting gas, et al.)

Controllers

Innovative pump and system management



Tailor-made controllers and control systems adapted to customer and process requirements for optimum performance and user convenience.

Your Expectations:

- Customer specific system interfaces
- Simple to complex visualization
- Power distribution integrated within the system
- Convenient control of all system components

Our Solution:

- Control and data acquisition of system parameters via digital I/O interfaces or bus systems, Ethernet, Profibus, RS 232, WiFi, GSM, for example
- Implementation of custom software programming
- Simple digital display via touch panel up to visualization on mobile devices (via apps)

Product Overview 2019

Valves Fittings

LEYCON

Valves in different design types and driving modes



Reliable valve technology is widely used in a broad range of applications.

Your Expectations:

- Reliable leak tightness
- High number of actuations
- Simple to fit and remove
- Delivery from a single source

Our Solution:

- Manually actuated valves
- Valves with electromagnetic/electropneumatic drive
- Gate valves
- All-metal valves for UHV systems
- SECUVAC safety valves
- Special valves, such as vacuum lock and sealing valves, venting valves, leak valves

Flange systems

Connection components



Well proven and widely used technology. Almost any connection possible.

Your Expectations:

- Simple to fit and remove
- Reliable leak tightness
- High class materials, top quality
- Delivery from a single source

Our Solution:

- ISO-KF style small flanges in sizes DN 10 to DN 50
- ISO-K flanges in sizes DN 63 to DN 630
- CF flanges in sizes DN 16 to DN 250

Product Overview 2019

Vacuum Oils and Pump Fluids Leybold Academy

LEYBONOL

Vacuum oil, pump fluids and special lubricants



Broad product portfolio for every application in practical container sizes. Guaranteed, constant quality for a long pump lifetime.

Your Expectations:

- High quality lubricant with long lifetime
- Excellent vacuum performance
- Reliable pump fluids for diffusion pumps

Our Solution:

- Special vacuum oil in 5 star quality for highest demands, qualified according to proven standards
 - Mineral, Ester, PAO special synthetic and PFPE oils for exchange intervals up to 3 years in clean applications
 - Permanent quality control
 - Oil analysis services for process control and optimization
-

Leybold Academy

Vacuum technology seminars/training center



Qualified training of your staff by practical knowledge transfer. Provides best possible performance and equipment uptime.

Your Expectations:

- Understand vacuum technology
- Get practical and hands-on oriented training

Our Solution:

- Systematic training covering the entire spectrum of vacuum technology
 - Basic seminars for technicians as well as non-technical employees
 - Advanced seminars
 - Leak detection seminars
 - Personnel qualification seminars according DIN EN ISO 9712 for NDT methode leak detection level LT1 and LT 2
 - Practical seminars
 - Customized seminars, tailored to your individual needs
-

Product Overview 2019

Spare Parts

After Sales Support, Online Shop

Spare Parts

Genuine wear parts and consumables



Original spare parts for long and trouble-free operation.

Your Expectations:

- Guaranteed availability
- Highest manufacturer quality
- Short delivery times

Our Solution:

- Range for all commonly requested spare and wearing parts, widely available in practice-oriented parts kits
 - Spare parts are subject to the same rigorous quality requirements which apply to our pumps
-

After Sales Support

Services



Reliable original equipment manufacturer service from one source.
Easy, competent, reliable

Your Expectations:

- Global availability of service
- Short downtimes
- Fair repair charges

Our Solution:

- Range of service that accompanies your vacuum equipment over the entire life cycle
 - Tailor-made service concepts and contracts
 - Maintenance and repair, on-site or at a Leybold Service Center
 - Installation and training
 - Exchange and backup pool
 - Calibration of measurement systems
-

Online Shop

www.leyboldproducts.com



Shop vacuum technology online. Available in more than 12 countries worldwide.

Your Expectations:

- Easy order process
- Secure payment options
- Large product range, fast delivery

Our Solution:

- Purchase vacuum components which do not require consulting, such as fittings, measuring instruments, pumps, spare parts, vacuum oils, lubricants
 - Delivery with invoice, credit card or pre-payment
 - Order 24 hours online
-

Leybold Services.

Easy, competent, reliable.



Your contact – wherever you are

Belgium

Phone: +32 2 711 00 83
sales.zv@leybold.com

Brasil

Phone: +55 11 3395 3180
sales.ju@leybold.com

China

Phone: +86 22 2697 0808
sales.tj@leybold.com

France

Phone: +33 1 69 82 48 00
info.ctb@leybold.com

Germany

Phone: + 49 221 347 1112
sales.kn@leybold.com

India

Phone: +91 80 278 3992
sales.pu@leybold.com

Italy

Phone: +39 02 27 22 31
sales.mi@leybold.com

Japan

Phone: +81 45 471 3330
sales.yh@leybold.com

Korea

Phone: +82 31 785 1367
sales.bd@leybold.com

Malaysia

Phone: +604 4020 222
info.ku@leybold.com

Netherlands

Phone: +31 30 242 6330
sales.ut@leybold.com

Singapore

Phone: +65 6303 7030
sales.sg@leybold.com

Spain

Phone: +34 93 666 4311
sales.ba@leybold.com

Switzerland

Phone: + 41 44 3 08 40 50
sales.zh@leybold.com

Taiwan

Phone: +886 3 500 1688
info.hc@leybold.com

UK

Phone: +44 13 7273 7300
sales.ln@leybold.com

USA

Phone: +1 800 764 5369
info.ex@leybold.com



Leybold GmbH
Bonner Str. 498 · D-50968 Köln
T +49 (0) 221-347-0
F +49 (0) 221-347-1250
info@leybold.com
www.leybold.com

**Pioneering products.
Passionately applied.**

