TAWI

Lifting technology
for efficient manual handling

Efficient and ergonomic manual handling is key for long term business success

In Kungsbacka, a small town on the west coast of Sweden, TAWI head office is home to a dedicated staff, including everything from product development to production. Our team of experienced engineers design lifting solutions customized for your business needs. Their innovations are realised in the lifting equipment put together by skilled technicians, securing optimal quality and short lead times.

Dedicated customer support is guaranteed when investing in TAWI lifting solutions and our service team will assure that the equipment never fails you. Choosing TAWI means that you get Swedish quality and reliability, in product, service and support. We offer a wide selection of lifting solutions for everything from food manufacturing to automotive industry.

Our lifting equipment handles everything from boxes and sacks, to cheese and windshields. We can turn, tilt and rotate heavy barrels, large panels and much more. Our solutions include vacuum lifters, hoists, crane systems and mobile lifters. This means that TAWI equipment cover all your lifting needs. Experience the benefits of using one complete supplier.
- Contact us today.

+46 (0) 300 185 00

info@tawi.com

ww.tawi.com

Save money with TAWI

Higher productivity and...

Increase productivity by making lifting easy. Lift more without losing speed and maintain productivity all day, every day. When lifting is easy you can lift more, with less effort.

healthier employees and...

Relieve employees from strenuous lifting and help them stay healthy, alert and efficient all day. Your staff will be healthier and feel better, they will manage demanding work for long hours and still have energy for more.

workforce flexibility...

Big and strong or small and slender. It doesn't matter, anyone can lift. Streamline your operations by giving everyone the power to lift. Create a flexible workplace where employees can move between workstations to avoid unnecessary downtime and ensure continuous productivity.

...come together as the TAWI equation

Higher productivity, healthier employees and greater workforce flexibility equals a cost effective and ergonomic work environment. That is how you save money with the TAWI equation.

+46 300 185 00 or info@tawi.com

Speed up the manual handling of goods with vacuum

TAWI vacuum lifters are robust and reliable tools that make lifting easy, for everyone. Our lifters are always designed with the user in focus. The vacuum lifters are very user-friendly and anyone will learn how to use them within minutes.

Vacuum technology is ideal for secure lifting without risk of damaging the goods or the person lifting them. Grip the load with suction cups designed for the goods you need to lift, regardless if you are lifting sacks, boxes, sheets or something else.

TAWI vacuum lifters allow everyone to lift up to 270 kilos without effort. Giving everyone the power to lift increases workforce flexibility, making it easy for employees to switch between work stations. The lifters are extremely versatile, handling everything from simple boxes to complicated car components.

TAWI VacuEasylift is our most versatile lifter, handling everything from ungainly sacks to fragile glass sheets or complex car components.
TAWI VacuCobra is your high-speed choice, ideal for high frequency handling of packaged goods.



TAWI VacuEasylift

Boxes and cartons

- Rapid, efficient workflow
- Accurate, secure grip and positioning
- Adjustability to suit various box sizes and shapes
- Maximum speed with minimal effort



Sacks and bags

- Drastic reduction in heavy, repetitive lifting
- Secure grip on every bag for efficient reliable lifting
- Tools for plastic, paper and woven sacks
- Lifting without damaging the sack

Sheets

- Handling sheets of wood, glass, aluminium and laminate
- Secure grip for efficient, reliable lifting
- Big range of movement for highest accuracy and flexibility
- Tilt or turn sheets up to 360°

Drums, kegs and cannisters

- Grip from the top or from the side
- Easy and ergonomic manual handling
- Tools for tilting or rotating drums
- Grip and lift several drums or pails togehter

+46 300 185 00 or info@tawi.com

TAWI VacuEasylift standard models

Model	VM30	VM40	VM50	VM60
Lifting capacity	30 kg	40 kg	50 kg	60 kg
Max length lift tube	2 500 mm	2 500 mm	2 500 mm	4 000 mm
Lift tube ø	100 mm	120 mm	140 mm	160 mm
Stroke	1 800 / 2 600 mm	1 800 / 2 600 mm	1 800 / 2 600 mm	1 800 / 2 600 mm
Lifting speed	0-1 m/s	0-1 m/s	0-1 m/s	0-1 m/s

Model	VM80	VM100	VM120	VM180	VM270
Lifting capacity	80 kg	100 kg	120 kg	180 kg	270 kg
Max length lift tube	4 000 mm	2 500 mm	4 000 mm	2 500 mm	2 500 mm
Lift tube ø	180 mm	200 mm	230 mm	250 mm	300 mm
Stroke	1 800 / 2 600 mm	1 700 / 2 400 mm	1 700 / 2 400 mm	1 500 / 1 800 mm	1 500 / 1 800 mm
Lifting speed	0-1 m/s	0-1 m/s	0-1 m/s	0-1 m/s	0-1 m/s

VM30-VM120 are available in stainless steel, ideal for industries with high sanitary requirements.
VM180 and VM270 are avilable in stainless steel with standard hose.

We recommend mounting your TAWI VacuEasylift in our own range of crane systems. The jib arm or bridge crane suspends the lift tube and is available in different lengths and capacities.

Find more information about TAWI crane systems on pages 26-27.

Vacuum pumps

Our vacuum pumps are designed with three key features in mind; performance, reliability and sustainability. The direct driven pump minimizes friction and unnecessary wear, ensuring continuous operations for your vacuum lifters.

TAWI vacuum pumps are available in two models; medium and large. The medium model is recommended for VM30-50, the large model for VM60-270.

Handles

Fixed handle

Standard handle

Flex handle

Special handle

Suction feet

Fixed handle with special suction foot 630200

Standard handle with suction foot for sacks 630300

Fixed handle with hook tool 630460

Flex handle with suction foot for boxes 630650

Fixed handle with suction foot 610650

Flex handle with suction foot for reels 610400

Fixed handle with suction foot for sacks 610320

Flex handle with suction foot for sheets 610620, angle adapter 610810, and handle for angle adapter 610811

Flex handle with suction for side lifting 610850

Flex handle with special spider yoke for lifting sheets

Flex handle with suction foot 610700

Suction foot for drums 650210

TAWI VacuCobra standard models

Model	VC20	VC35	VC40	VC50
Lifting capacity	20 kg	35 kg	40 kg	50 kg
Max length lift tube	2 100 mm	2 100 mm	2 100 mm	2 100 mm
Lift tube ø	80 mm	100 mm	120 mm	140 mm
Stroke	1 680 mm	1 6150 mm	1 615 mm	1 590 mm
Lifting speed	0-1 m/s	0-1 m/s	0-1 m/s	0-1 m/s

High-speed manual handling has never been easier. Grip and lift quick and easy with just one hand, powered by reliable vacuum technology.

TAWI VacuCobra is conventiently mounted in a TAWI Jib Crane or for larger working areas, in a TAWI Overhead Bridge Crane. The air hose is held out of the way so that you can work efficiently without any disturbance. Your local TAWI representative will be happy to guide you to the best mounting solution for your lifter.

TAWI VacuCobra options

All TAWI VacuCobra models are available in stainless steel execution, a safe choice when lifting in environments with high demands on cleanliness. The stainless steel models are often used in food production, safely handling blocks of cheese or frozen meat, milk cartons, wine boxes and more. The suction feet can be adapted to meet your specific requirements, ensuring that the lifter is ideal for gripping your goods, no matter what they are.

VC35 stainless steel

VC35 with standard suction head

VC35 with adapter

TAWI VacuCobra

High speed handling

- High-speed box handling
- Grip boxes from the top or from the side
- One-handed lifting with user-friendly joystick handle
- Suitable for left- and right-handed users

Time-efficient

- Easily pick up load with one hand
- Quick and easy release of load

Ergonomic and user-friendly

- Comfortable joystick handle for easy operations
- Saves workers from straining repetitive lifting
- Rotate the load without rotating the lifter and handle goods with great accuracy
- Ergonomic design ensures a safe and ergonomic working position

Handling boxes and more

- Gripping load with vacuum for a safe grip that does not damage the load
- Various suction tools allow quick handling of cartons, pails, sacks and more

Ergonomic lifting with full mobility and flexibility

TAWI mobile lifters allow you to lift anything, anywhere. Pick up goods in one place, transport them effortlessly, and lift them in place wherever you need them.

TAWI Mobile Order Picker is a unique solution for efficient order picking and material handling. Simply pick up the mobile vacuum lifter unit with any kind of forklift or pallet jack and go wherever you need to lift.

TAWI Lifting Trolleys are ideal for moving goods to and from a production line, or simply lifting without being confined to just one work station. A variety of tools make these portable devices suitable for lifting different types of goods, including reels, drums and crates.

We know the importance of flexibility and mobility and that is why our lifting trolleys do not only lift but also rotate, turn and tilt goods. Reels are tilted from vertical to horizontal position before they are conveniently mounted on a machine axis. Drums and crates are easily tilted to empty their contents with no physical effort for the operator.

TAWI Mobile Order Picker

Lift anything

- Cartons and boxes
- Paper, plastic and woven sacks
- Sheets of wood, metal, glass or plastic
- Drums, kegs or cannisters
- Tyres
- and more



Lift anywhere

- Move the lifter anywhere you need to lift
- Compatible with any type of forklift or pallet jack
- Adjustable tower height allows reach into pallet racks or other low headroom areas

Safe and user friendly

- Designed for ergonomic manual handling
- Support legs for optimal stability when lifting
- Safety lock holds articulating arm in place when moving the lifter
- User friendly on-board panel
- Integrated light panel facilitates work in dark spaces

Flexible and versatile

- Compatible with various vacuum lifters and vacuum tools
- Adaptable fork tunnels for effortless adjustment to any fork system
- Electronically driven height adjustment to accomodate different lifting heights and height limitations

TAWI Mobile Order Picker specifications

Model	VM40	VM50	VM60	VM80	VC40
Lifting capacity	40 kg	50 kg	60 kg	80 kg	40 kg
Lift tube ø (mm)	120	140	160	180	120
Stroke vacuum lifter (mm)	1340	1 320	1 320	1 290	1 230
Stroke tower (mm)	500	500	500	500	500
Lift tube length (mm)	1 750	1 750	1 750	1 700	1 600
Noise level, idle (dB)	76	76	76	76	76
Noise level, in operation (dB)	75	75	78	78	76
Max lifting height* with lowered tower (mm)	1 940 1 440	1 920 1 420	1 900 1 400	1 890 1 390	1 810 1 310
Battery charging procedure	Plug into an electrical outlet (100-240 V. For 110 V, use 3-phase charger. For 230 V, use single-phase charger. Grounded, 50-60 Hz) Recommenmded 8 hours continuous charge.				
Battery pack replacement	Prolonged operational time is achieved by switching the battery pack. This procedure takes approx. 10 minutes.				
External power source	The unit can be connected to a 24 V external power source				
Up and down motions of tower	52-58 mm/s				
Weight of unit	630 kg				

** From bottom of suction head (excl. suction foot)*

Technical drawings

Drawings on the following pages provide an overview of TAWI Mobile Order Picker in various perspectives. The table lists dimensions for the unit equipped with different vacuum lifter models. All measures are in millimeters.

	VM40	VM50	VM60	VM80	VC40
A*	150	149	132	156	130
B	1 340	1 320	1 320	1 290	1 230
C*	1 490	1 469	1 452	1 446	1 360
D	592	613	630	637	722
E	2 000	2 000	2 000	2 000	2 000
F	1 100	1 100	1 100	1 100	1 100
G*	2 000	2 000	2 000	2 000	2 000
H*	2 080	2 080	2 080	2 080	2 080
I*	1 850	1 850	1 850	1 850	1 850
J	1 150	1 150	1 150	1 150	1 150
K	1 710	1 710	1 710	1 710	1 710
L	1 100	1 100	1 100	1 100	1 100
M	1 130	1 130	1 130	1 130	1 130
N	470	470	470	470	470

Side view



Front view



Top view



TAWI Mobile Order Picker - Compact

Unlimited reach

The compact TAWI Mobile Order Picker offers extended reach into pallet racks, containers and other areas with limited head room.

Due to the extremely compact design the operator can smoothly move the arm in and out of pallet racks, reaching all goods on a pallet from top to bottom.



Control all motion with one hand

- User-friendly ergonomic handle
- Grip, lift, lower and release loads with one hand
- Adjust the height of the tower directly on the handle
- Start and stop the vacuum pump with one click

Integrated battery and vacuum pump

- Battery and vacuum pump are integrated in the unit
- Operation time: 3 hours constant use
- Easy to switch battery pack
- Robust cover protecting battery and on-board electronics

Support legs for optimal safety

- Automatically activated support legs
- Ensure stability when lifting
- Maximum safety for operator and load

TAWI Mobile Order Picker Compact - technical specifications

	Specification
Lifting capacity	35 kg
Adjustable height	500 mm
Battery charging procedure	Plug into an electrical outlet (100-240 V. For 110 V, use 3-phase charger. For 230 V, use single-phase charger. Grounded, 50-60 Hz) Recommended 8 hours continuous charge.
Battery pack replacement	Prolonged operational time is achieved by switching the battery pack. This procedure takes approx. 10 minutes.
External power source	The unit can be connected to a 24 V external power source
Up and down motions of tower	52-58 mm/s
Weight of unit	630 kg

Side view



Front view



Top view



Lifting all types of goods with precision and power

An electric hoist is ideal when you need to lift with stability and control. Perfect for handling cumbersome containers, tall metal profiles and much more.

TAWI ViperHoist is among the fastest hoists on the market, lifting with both speed and precision. A wide selection of tools makes it possible to lift anything from woven sacks to metal profiles. A user-friendly and ergonomic handle makes the hoists easy to control with just one hand. Variable speed control allows you to choose how fast or slow you need to move at any point, giving you full control and precision when lifting.

TAWI Chain Hoist lets you handle heavier loads, up to 2 500 kg. The chain hoist is characterized by its silent run and long durability, even in very tough conditions. This strong and durable hoist is even suitable for outdoor use.

The electric hoists are easy to install and require little maintenance. High quality and low energy consumption makes the hoist a sustainable choice with low cost of ownership. Simply a great way of streamlining manual handling of goods and saving both time and money.

TAWI ViperHoist & TAWI Chain Hoist

Tools for various applications

- Reels
- Metal profiles
- Car components
- Batteries
- Cannisters, drums
- Pallets
- Sacks

Speedy and efficient

- Up to 0.75 m/s lifting speed
- Variable speed control
- User-friendly joystick handle makes the hoist easy and efficient to work with
- Quick coupling allows quick change of tools
- Lifting capacity 60/120 kg (wire hoist)

Cost-efficient and sustainable

- low energy consumption
- low cost of ownership
- easy to install and requires little maintenance

Heavy duty chain hoist

- Lifting capacity <2 500 kg
- IP65, suitable for outdoor use
- Chain safety factor min 8 times (FEM, 2m, ISO, M5)
- Low-wear DC-spring-loaded brake

Models and technical details

	ViperHoist Vh60/VH120	Chain Hoist
Lifting capacity	60/120 kg	<1 600 kg
Lifting speed	0.75/0.35 m/s	8/2 m/min
Power supply	230V +/-10%	3×400V
Lifting height	2 000 mm	4 000 mm
Speed control	variable	2-speed
Frequency	47-63 Hz	50 Hz

TAWI offers a complete selection of wire hoists and chain hoists. The wire hoist is the preferable choice when you need to lift with speed and precision. The chain hoist is very powerful and durable, the right choice for heavier loads and for lifting in tough conditions.

Both hoists offer a selection of tools for handling all types of loads, anything from sacks or drums to car chassis or entire walls.

TAWI Grip vacuum yoke

	Horizontal	Vertical
Lifting capacity	500 kg	250 kg
Vacuum source	electric or pneumatic	electric or pneumatic
Suction cups	dimensioned for double the load	dimensioned for four times the load
Tilt	-	90°

Mounted in a chain hoist [TAWI] Grip vacuum yoke allows easy and efficient handling of all types of sheet materials. Using an electric or pneumatic vacuum source, the yoke safely holds big sheets of glass, metal, wood or plastic. The vertical model allows 90° tilt, while the horizontal model can handle heavier loads, up to 500 kg.

The vacuum yoke is available in two standard models but can also be customized to meet specific customer requests. Talk to your local TAWI representative and they will help you find the best tool for your needs.

TAWI Grip

Handling all types of sheets

- Glass
- Metal
- Laminate
- Plastic
- Wood



Tilt and turn

- Tilt and turn big sheets effortless and easy
- Up to 180° tilt
- CNC loading

Ergonomic and user-friendly

- User-friendly control panel
- Compact design
- Adaptable to your needs
- Ergonomic design minimises the risk of straining or injury

Custom made

- The tool can be custom made to meet your every need
- Suction cups adapted to your load
- Tilt and turn functionality adaptable to suit your workflow and requirements

A reliable foundation for efficient lifting

A crane system built for your needs, integrated in your workflow, will help ensure efficient lifting and productive processes. TAWI Overhead Bridge Cranes and TAWI Jib Cranes give you the freedom to lift and move goods exactly where you need them.

TAWI crane systems offer flexible solutions for mounting lifters so that you can use them wherever you need. Steel or aluminium profiles can be mounted in the ceiling or on floor pillars, built to match your facilities and meet your every need. No matter how your facilities are constructed, we will build an overhead crane system that is ideal for your conditions.

With a selection of standard jib cranes, and the ability to modify cranes to customer requests, we can always find an ideal solution for your business needs.

TAWI cranes are reliable systems that will help keep your operations running for decades. The profiles are produced from high-quality steel, finished off with a protective coating. Parts are merged together seamlessly, making sure whatever you suspend in the system will run smoothly for many years to come.

TAWI crane systems

Many options

- Aluminium or steel profiles
- Mounted in ceiling or on floor pillars
- Suspended directly in ceiling or in roof beams
- Move lifters by manual power or remote control
- Portable jib cranes for greater flexibility
- Overbraced or underbraced depending on what suits your facilities

Customization

- TAWI crane systems are always built on customer request
- Adapted to your facilities and requirements
- Easily integrated in your workflow
- Delivered in TAWI blue coating, or the colour of your choice

Complete range of systems

- Single and double girder cranes
- Low built system for low headroom areas
- Stainless steel systems for easy cleaning
- Jib cranes mounted on wall or pillar
- Portable options available



Powerful suspension

- Up to 1 500 kg lifting capacity
- Up to 8 000 mm between suspension points
- Provides great range of motion when lifting with vacuum lifters or hoists

Headquarters Sweden:
TAWI AB
Box 102 05
434 23 Kungsbacka
Tel: +46 300 -185 00
info@tawi.com

Denmark:
TAWI DANMARK A/S
Arresøvej 7
DK-8240 Risskov
Tel: +45 86 17 22 66
mail@tawidanmark.dk

Germany:
TAWI GmbH
August-Thyssen-Str. 1
D-41564 Kaarst
Tel: +49 211 20542740
info@tawi.de

Netherlands:
TAWI BV
Postbus 6092
5700 ET Helmond
Houtse Parallelweg 34-35
5706 AB HELMOND
Tel: +31 492-523705
info@tawi.nl

France:
TAWI Levalair
18 rue Denis Papin
95250 Beauchamp
Tel:+33 1 39 95 65 00
info@levalair.fr

United Kingdom
TAWI UK Ltd
Unit G, Pentagon Park,
io Centre, Lodge Farm Ind Est
Northampton, NN57UW
Tel:+44 1604 591120
sales.uk@tawi.com

USA:
TAWI USA
380 Internationale Drive
Bolingbrook, IL 60527
Tel: +1 630-655-2905
sales@tawi.us

Canada:
TAWI Canada Inc.
3A-15 West Pearce Street
Richmond Hill ON L4B1H67
Tel: +1 905 889 1633
info@tawi.ca

TAWI