

**PANEL SAW MACHINES**  
**OPTI SIZER 3700 PANEL SAW**



- **IT GUARANTEES BEST CUTTING PERFORMANCE WITH ITS COMPUTER CONTROLLED, PRACTICAL USER INTERFACE WHICH IS SUPPORTED BY OPTICUT OPTIMIZATION SOFTWARE.**
- **SERVO MOTOR CONTROLLED REAR PANEL DRIVER.**
- **REMOTE CONTROL WITH INTERNET.**
- **IT HAS STANDARD OPTIMIZATION SOFTWARE AND BARCODE MACHINE.**
- **USER INTERFACE PROVIDES TURKISH, ENGLISH AND RUSSIAN LANGUAGES.**
- **AIR BLAST FRONT TABLE COVERED BY MATERIAL WHICH IS UNSCRATCHABLE.**
- **EASY TO CHANGE SAW BLADE AND SCORING BLADE.**
- **FINE-TUNING FACILITY OF SAW BLADE AND SCORING BLADE BY TAKING SHARPENING PORTION INTO CONSIDERATION.**
- **SIDE COMPRESSION FOR NARROW PIECES.**
- **MANUAL CUT OPTION IS POSSIBLE.**
- **17" INDUSTRIAL TOUCH SCREEN.**

**CUTTING SPEED: 60 M/MIN**

**CUTTING LENGTH: 3700 MM**

**CUTTING HEIGHT: 85 MM**

**CUTTING SAW: 5000 RPM**

**SCORING SAW: 6000 RPM**

**CUTTING MOTOR: 7,5 KW 10 HP**

**SCORING MOTOR: 1,5 KW 2,2 HP**

**CUTTING SAW DIAMETER: 350 X 4,4 X 75 MM**

**SCORING SAW DIAMETER: 200 X 4,2 X 30 MM**

**HOLDER CLAW: 8 ADET**

**PNOMATIK UPPER PRESS: 6 BAR 600 KG**

### **PLC 3700 PANEL SAW**



- **AUTOMATIC REAR PANEL DRIVER, SENSITIVE CUT FACILITY BY SPEED CONTROL DEVICE IN DESIRED SPEED IN SENSITIVITY 0.1% OF MM.**
- **EVERY KIND PLATE AND RAW MATERIAL CUT FACILITY.**
- **EASY TO CHANGE SAW BLADE AND SCORING BLADE.**
- **FINE-TUNING FACILITY OF SAW BLADE AND SCORING BLADE BY TAKING SHARPENING PORTION INTO CONSIDERATION.**
- **AIR BLAST FRONT TABLE COVERED BY MATERIAL WHICH IS UNSCATCHABLE.**
- **SAVING OF TIME THROUGH AUTOMATIC CARRIER AND UPPER PRESS.**
- **PLC CONTROLLED SYSTEM.**
- **SIDE COMPRESSION FOR NARROW PIECES.**
- **MULTICOLOR TOUCH SCREEN.**
- **800 PAGE CUTTING PROGRAM MEMORY.**

**CUTTING SPEED: 60 M/MIN**

**CUTTING LENGTH: 3700 MM**

**CUTTING HEIGHT: 85 MM**

**CUTTING SAW: 5000 RPM**

**SCORING SAW: 6000 RPM**

**CUTTING MOTOR: 7,5 KW 10 HP**

**SCORING MOTOR: 1,5 KW 2,2 HP**

**CUTTING SAW DIAMETER: 350 X 4,4 X 75 MM**

**SCORING SAW DIAMETER: 200 X 4,2 X 30 MM**

**BACK PANEL DRIVER MOTOR: 1,5 KW – 8.34 N/M**

**HOLDER CLAW: 8 ADET**

**PNOMATIK UPPER PRESS: 6 BAR 600 KG**

**YOU CAN VISIT OUR WEB SITE FOR DETAILED INFORMATION: [WWW.UNVERMAKINA.COM.TR](http://WWW.UNVERMAKINA.COM.TR)**