

TILTING CIRCULAR SAWS

ALL MODELS HAVE:

- **EMERGENCY STOP EASY TO ACCESSIBLE.**
- **THERE IS A SAW BLADE ADJUSTMENT ON THE CONSOLE. ITS EASY TO ACCESSIBLE.**
- **THICK ALUMINIUM SLIDING TABLE IS NOT STRETCHING WITH 4 INDUCTIONS SHAFTS. WORKING SENSITIVELY LONG YEARS. NI NECESSITY TO MAINTENANCE.**
- **SAW BLADE PROTECTION PROTECTS OPERATOR HANDS WHEN MACHINE IS WORKING. IT BLOCKS RESIDUAL MATERIALS THROWING RANDOMLY.**
- **WE USE QUALITY ELECTRICAL MATERIALS IN OUR MACHINES.**

WE HAVE ADDITIONAL PNEUMATIC PRESS FOR 4300, 3800 VE 3200 MODELS. IT CAN PRESS THE MATERIALS WITH 3 BAR PRESSURE. IT CAN FIX THE MATERIAL SO YOU CAN CUT STRAIGHT CUT.



WE HAVE ÜM 4300 X4, ÜM 3800 X4, ÜM 3700 X4, ÜM 3200 X4, ÜM 2800 X4, ÜM 2200 X4 MODELS.

ÜM 4300 X4 TILTING CIRCULAR SAW

TABLE SIZE: 1055 X 635 MM

ALUMINIUM SLIDING TABLE: 360 X 4300 MM

CUNTTING LENGTH: 4300 MM

SAW BLADE DIAMETER: MAXIMUM Ø 400 MM, MINIMUM Ø 200 MM

SAW BLADE POWER: 4 KW - 5,5 HP , 3000 RPM

SAW BLADE SPINDLE SPEED: 3500 X 4500 X 5800 RPM

SCORING BLADE DIAMETER: OUTSIDE Ø 125 MM, INSIDE Ø 20 MM

SCORING BLADE POWER: 0.75 KW – 1 HP , 3000 RPM

SCORING UNIT SPINDLE SPEED: 7000 RPM

WEIGHT: 900 KG

ÜM 3800 X4 TILTING CIRCULAR SAW



TABLE SIZE: 1055 X 635 MM

ALUMINIUM SLIDING TABLE: 360 X 3800 MM

CUNTTING LENGTH: 4300 MM

SAW BLADE DIAMETER: MAXIMUM Ø 400 MM, MINIMUM Ø 200 MM

SAW BLADE POWER: 4 KW - 5,5 HP , 3000 RPM

SAW BLADE SPINDLE SPEED: 3500 X 4500 X 5800 RPM

SCORING BLADE DIAMETER: OUTSIDE Ø 125 MM, INSIDE Ø 20 MM

SCORING BLADE POWER: 0.75 KW – 1 HP , 3000 RPM

SCORING UNIT SPINDLE SPEED: 7000 RPM

WEIGHT: 850 KG

ÜM 3700 X4 TILTING CIRCULAR SAW

TABLE SIZE: 1055 X 635 MM

ALUMINIUM SLIDING TABLE: 360 X 3700 MM

CUNTTING LENGTH: 4300 MM

SAW BLADE DIAMETER: MAXIMUM \varnothing 400 MM, MINIMUM \varnothing 200 MM

SAW BLADE POWER: 4 KW - 5,5 HP , 3000 RPM

SAW BLADE SPINDLE SPEED: 3500 X 4500 X 5800 RPM

SCORING BLADE DIAMETER: OUTSIDE \varnothing 125 MM, INSIDE \varnothing 20 MM

SCORING BLADE POWER: 0.75 KW – 1 HP , 3000 RPM

SCORING UNIT SPINDLE SPEED: 7000 RPM

WEIGHT: 850 KG

ÜM 3200 X4 TILTING CIRCULAR SAW



TABLE SIZE: 1055 X 635 MM

ALUMINIUM SLIDING TABLE: 360 X 3200 MM

CUNTTING LENGTH: 4300 MM

SAW BLADE DIAMETER: MAXIMUM \varnothing 400 MM, MINIMUM \varnothing 200 MM

SAW BLADE POWER: 4 KW - 5,5 HP , 3000 RPM

SAW BLADE SPINDLE SPEED: 3500 X 4500 X 5800 RPM

SCORING BLADE DIAMETER: OUTSIDE Ø 125 MM, INSIDE Ø 20 MM

SCORING BLADE POWER: 0.75 KW – 1 HP , 3000 RPM

SCORING UNIT SPINDLE SPEED: 7000 RPM

WEIGHT: 800 KG

ÜM 2800 X4 TILTING CIRCULAR SAW



TABLE SIZE: 1055 X 635 MM

ALUMINIUM SLIDING TABLE: 360 X 2800 MM

CUNTTING LENGTH: 4300 MM

SAW BLADE DIAMETER: MAXIMUM Ø 400 MM, MINIMUM Ø 200 MM

SAW BLADE POWER: 4 KW - 5,5 HP , 3000 RPM

SAW BLADE SPINDLE SPEED: 3500 X 4500 X 5800 RPM

SCORING BLADE DIAMETER: OUTSIDE Ø 125 MM, INSIDE Ø 20 MM

SCORING BLADE POWER: 0.75 KW – 1 HP , 3000 RPM

SCORING UNIT SPINDLE SPEED: 7000 RPM

WEIGHT: 720 KG

ÜM 2200 X4 TILTING CIRCULAR SAW

TABLE SIZE: 1055 X 635 MM

ALUMINIUM SLIDING TABLE: 360 X 2200 MM

CUNTTING LENGTH: 4300 MM

SAW BLADE DIAMETER: MAXIMUM Ø 400 MM, MINIMUM Ø 200 MM

SAW BLADE POWER: 4 KW - 5,5 HP , 3000 RPM

SAW BLADE SPINDLE SPEED: 3500 X 4500 X 5800 RPM

SCORING BLADE DIAMETER: OUTSIDE Ø 125 MM, INSIDE Ø 20 MM

SCORING BLADE POWER: 0.75 KW – 1 HP , 3000 RPM

SCORING UNIT SPINDLE SPEED: 7000 RPM

WEIGHT: 700 KG

YOU CAN VISIT OUR WEB SITE FOR DETAILED INFORMATION: WWW.UNVERMAKINA.COM.TR